GSB Inflatable Inspections

& coolkidsbouncycastles.com



ANNUAL SAFETY INSPECTION REPORT

Tel: 07928 678577

2378

| Structure | P | F | N/A |
|-------------------------------------|---|---|-----|
| Security of Seams | | | |
| Stitching | V | | |
| Anchor Points | V | | |
| Anchor Accessories | V | | |
| Walls & Towers | ~ | | |
| Blower Distance | | | |
| Zip(s) | | | |
| Fabric Flame Retardant | ~ | | |
| Fabric Strength | | | |
| Step/Ramp Size | | | |
| Grounding | V | | |
| Sharp Angles & Edges | / | | |
| Stability | / | | |
| Ropes | | | / |
| Agreem ENTI-37 | | | |
| (Supplier (importer insist provide) | | | V |
| cartificates for new additionally | | | |
| Air Lines Points | V | | |
| Wister Gauge Pressure | V | | |
| Fall Off Height | V | | |
| Trough Depth | ~ | | |
| Thread | V | | , |
| Netting | | V | |
| Entrapment | V | | |
| Deflation/Evacuation Time | ~ | | 1 |
| Windows | | | |
| Markings | V | | |
| Identification | | | |
| Totally Enclosed Structures | | | / |
| Exits | | | |
| Exit Markings | 1 | | |
| Lighting Supports | N | | |
| Emergency Lighting | | 1 | |
| Deflation Speed | | " | |
| User Area Pressure | | | |
| Slides | | | |
| Wall Heights | | | / |
| Run Out | N | / | |
| Clamber Net | | X | |
| Slide Sheet | / | r | |
| Side Silect | | | |
| Blower | | | |
| Size & Type | V | | |
| Inlet & Outlet Mesh | V | | |
| Cable & Plug | 1 | | |
| Casing & Impeller | V | | |
| Pat Test | 1 | | |
| Return Flap | | | |
| | | | |

| Manufactured by: | Pasco |
|----------------------|---------------------------|
| Serial Number | 089231 |
| Year Made: | 2023- |
| Description of Unit: | RODEO BUIL BED |
| | W MGCHANICM NOT TESTOX |
| | |
| Colour: | (CO) BLAG. |
| Size: | 4.6+4.6+0.950 |
| Max No. Users: | ONE |
| Max User Height: | 1.30 |
| Date Issued: | 7TH Avenus 2025 Trety The |
| Expiry Date: | 6 th August 2026 Tuetysix |
| | |

| Notes/Risk A | ssessment | |
|--------------|-----------|------|
| 1-540 | Bione | Drsc |
| | | |
| | | |
| | | |
| | | |
| | | |

This annual report confirms the equipment identified above was tested and conformed to EN14960-2019 Standards at the time of test, however it does not confirm the equipment will continue to conform to the above standard for the full 12 months prior to the expire date.

| Signed: U. Sauld | Print: | 4- DONGHE |
|------------------|--------|-----------|
|------------------|--------|-----------|